

# Sicher durch den Winter



Vom Dach rutschender Schnee stellt eine große Gefahr dar und verursacht oftmals Schäden!

Wird die Dachfläche zwischen Schneefang und dem Dachende mit einer Heizleitung versehen, ist dieses Problem gelöst.



Die neuen Deviclip Schutzgitterhaken (Best.Nr:19.805193) ermöglichen eine „Zick-Zack“ Montage der Heizleitung.




Die Deviflex Heizleitung DTCE 30 ist eine UV-beständige Zweileiter-Heizleitung mit Abschirmung und wird anschlussfertig konfektioniert geliefert.

30 Watt pro Meter Heizleistung ermöglichen eine Einfach-Verlegung in Dachrinne und Fallrohr, das spart Montagezeit.

# Deviclip Guardhook

Installation of heating  
cables on roof.



## Features:

- Flexible, fast and solid installation
- Easy to replace
- Designed for Devi cables
- PVC free & weather resistant

## Technical data - in general:

Material.....	POM
Color .....	Black
Pulling strength .....	200N
Fits to cable type.....	DTIP, DSIG, DTCE & Iceguard
Mounting.....	Cable ties or screws
Mounting accessories.....	Cable ties

DEVI A/S  
Ulvehavevej 61  
7100 Vejle  
Telf.: 76 42 47 00  
Fax: 76 42 47 01  
[www.devi.com](http://www.devi.com)

**DEVI**  <sup>TM</sup>  
Member of the Danfoss Group

